

Round Bar 1.500" Dia. material: AISI 41L40 STEEL ROUND BAR PER AISI 41L40 M303B0.500X4.000 AISI 303 SS Bar 0.500" x 4.000": MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE	PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplie Name
Bar 0.500" x 4.000" : MATERIAL: AISI 303 SS BAR AS PER ASTM AS82 NOTE: AISI 304/316 NOT ACCEPTABLE	PO038315	1	1	1	COD		Leaded Steel Round Bar 1.500™ Dia. material: AISI 41L40 STEEL ROUND BAR PER AISI				12	11/17/2017	12		S011027	Stock	11/17/2017	\$ 39.00 / ft	0	0		Metaux Solution
leceive it			2				Bar 0.500"" x 4.000"" : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT				3		U ³	V	S011028	Stock	11/17/2017	\$ 131.67 / ft	0	0		Metaux Solutions

Plex 11/17/2017 3:35 PM Dart.Plouffe.Sonia

METAUX SOLUTIONS INC 2625 BOUL JACQUES CARTIER EST LONGUEUIL, QUEBEC Tel.: 450 641-3330 J4N 1L7

Customer: 6323336

DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ONTARIO K6A 1K7

Shipping:

Package No : Merchandise Received: Shipping Order 15/11/2017

Order

: 130371

Reference : 38315
Bid : 24929

Ship : PICK UP / PICK UP

Ship To

Same

Tel.: 1613632-3336

Item No.	Description	Qty	Qty. Deliver	B/O Qty
	****** FACTURER E-MAIL. ******* SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
	******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE/PACKING SLIP INSCRIRE LES HEAT N			
	LE PACKING SLIP INSCRIRE LES HEAT N		/	1
MR11241L /	41L40 ANN ROU 1.500 DIA.	. 12	12/	10
ef.	1 X 12 ****** p(182713)			
sp124363	303 PLT 500 X 4 X 36	1	1/	0
	1 FC ********			
	ht;266250			
			1 - 1.	n
	ship journey collect	S	3/7/11-	-17
	en de la composition de la composition La composition de la			
1/4 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m = 1 m				

Ref. :

Shipping Order

15/11/2017

METAUX SOLUTIONS INC

2625 BOUL JACQUES CARTIER EST

LONGUEUIL, QUEBEC

Customer: 6323336

J4N 1L7

Tel.: 450 641-3330

Order

: 130371

Reference

: 38315

Bid

: 24929

Ship

: PICK UP / PICK UP

Ship To

Same

Tel.: 1613 632-3336

DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ONTARIO K6A 1K7

Item No. B/O Qty Description Qty Qty. Deliver ******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N ******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N ******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N MR11241L 41L40 ANN ROU 1.500 DIA. 1 X 12' ***** ht;182713 303 PLT ,500 X 4 X 36 sp124363 ht;266250

ship journey collect

Kertherson

Ref.

Merchandise Received:

Shipping

Package No :

CERTIFICATE OF TEST CERTIFICAT D'ESAIS



Page 01 of 02

Certification Date 14-NOV-2017

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

43598-J PART NUMBER/NUMÉRO DE PIÈCE



Invoice Number T372678

506116

SOLD TO: VENDU À:

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À:

METAUX SOLUTIONS

(RIVE-SUD)

2625 BOUL JACQUES CARTIER EST

LONGUEUIL OC J4N 1L7

2625 BOUL JACQUES CARTIER EST

LONGUEUIL QC J4N 1

41L40)42 CF ANN BAR ASTM A331 Description:

0.028

1-1/2 RD X 12 HEAT: (182713

ITEM: 506116

Line Total: 73 LB

Specifications:

ASTM A331 * ASTM A304 11

MIC 2016 1 12

ASTM A255 10

ASTM E112 13 ASTM A388/A388M 15

AMS 2750

*WITHDRAWN SPEC

ASTM A322 13 MIC 2016 ADD 71 10

ASTM E45 13

ASTM E381 06 AMS MIL H 6875

API 6A ANNEXE M

ASTM A108 13

ASTM A29/A29M E1 12

EN 10204 3.1 04

ASTM E10 15

ASTM E709 14

AMS MIL STD 1684

0.15/0.35 0.0004

CHEMICAL ANALYSIS

C P MN SI CR NI 0.42 0.96 0.26 0.019 0.026 1.02 0.15 0.17 V. AL SN PB CA 0.006

RCPT: R174132

DESCRIPTION

0.21

COUNTRY OF ORIGIN : SPAIN

MECHANICAL PROPERTIES

YLD STR

ULT TEN

0.012

%ELONG

%RED

HARDNESS

0.0001

IN AREA

BHN

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. ./Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du mamifacturier après vérification de l'état complet des specifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. ./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

cano heupen

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

CERTIFICATE OF TEST CERTIFICAT D'ESAIS

Page 02 of 02

Certification Date 14-NOV-2017

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

43598-J PART NUMBER/NUMÉRO DE PIÈCE



Invoice Number T372678

SOLD TO: VENDU À:

506116

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À:

METAUX SOLUTIONS

(RIVE-SUD)

2625 BOUL JACQUES CARTIER EST

LONGUEUIL QC J4N 1L7

2625 BOUL JACQUES CARTIER EST LONGUEUIL QC J4N 1

Description: 41L40/42 CF ANN BAR ASTM A331 1-1/2 RD X 12' R/L Line Total: 73 HEAT: 182713 ITEM: 506116 END-OUENCH HARDENABILITY (JOMINY - RC) 1 2 3 4 5 6 8 9 10 11 12 13 14 15 57 57 56 56 56 55 55 54 54 50 49 47 16 18 20 22 24 26 28 30 32 46 44 43 42 41 41 40 40

GRAIN SIZE :7 -

CLEANLINESS

	THIN MAX	A THICK MAX	THIN MAX	B THICK MAX	THIN MAX	C THICK MAX	THIN MAX	D THICK MAX
e45	2.0	0.5	2.0	0.5	0.0	0.0	0.5	0.0

VACUUM DEGASSED MATERIAL IS FREE FROM MERCURY CONTAMINATION

NO WELD REPAIR PERFORMED ON MATERIAL EDDY CURRENT: YES

EDDY CURRENT:YES ULTRASONIC:YES

MACRO: OK MICRO1: OK

COMMENTS

red. ratio 27,2

free from radioactive contamination

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.


Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

carne perfeci

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ











CERTIFICATO DI COLLAUDO **ABNAHMEPRUEFZEUGNIS** INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004), 3.1

GUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD S RESTREA

36100 WCENZA (Italia) - Viale della scienza, 25 z 1. Telefone 0444.988211 - Fax 0444.953836 Stab : 39109 BOLZANO Stalia) - Vin A. Volta, 4/37 Telofono 0471,924111 - Fax 0471,924497

Produttore: ACCIAIERIE VALBRUNA S.P.A.

State di fernitura : Hot rolled Descaled Annieated Hot rolled because Annieated Hot rolled Descaled Annieated Hot

Avviso di Spetizione: Deviation of the Deviation of the Control of the Co

Ordine nr. 43992 Constitution

ASME SA320 2013 B8F CLASS1 (0)

Tipo di Etaborazione: E÷AOD Brechmakung sactificating propagations is described Certificato nr: MEST722816/2015/ ... Prolong/Entitlemen

Conferma ordine nr. El15001529 Wersica Oten Refer

Marchio di Fabbrica:

Zulanen des Elefarametrets Trace shalk Style to Existe production

Punzane del Collaudatore: Stenden der Anderstreinspurinten Anthonomie ein allegen der Lubbilane

AMS 5340 U S30300 A

ASTM A314 2005 \$30300

ASTM A582 2012 S 30300 A

Specifiche: naturangen/Suplemont/Empriss VSI 0 303 A

Postatoriamiste politica

AMS 5640 U TYPE1 A ASTM A320 2011A BSF CLASS1

MiL-S-862 8/: 303 (O)SECTION II PTA 2013 EDMICH

Qualità. T-303

Werks of Grave Suprice Marca:

Punzonatura: 303

Drandelluar ap	· AU188Z/P	Telleranz styllen anzeittel avange	Konnze chrungittarking	Marquage			
Pos. nr.	Organia Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Granian Grania	Dianensioni - In Abbretages Species Stresses	Lunghezza - In	Coisia seculo Nex Corto	Peźzi todawi Posyi Facia	Paso - LB	Lotto er. truv. truv.
0800	Flat	4,0000 x 0,5000	144/ 152	266250		3.252	504403260

TEST ALLO STATO DI FORNITURA Test on delivery condition. Prüefung auf lieferbereitem produkt. Test a l'etat de fourniture. Prueba sobre et material est como enfregado

			:}{:	ingratementary.	straystratelyper, O	TergeralWesturgenti	ıt.		. 1			
TEST	Provelle Process Contain Spring to Legitare Spring Brain Own, Dale Bill Class Berryon Legitare, con Brain Own, Con Brain Own Brain Own	۰F	Posts. Sagge Change than conteres	Shervamonic saveparis retricted to the south of Rp 0,2%	Speryamento Britigarda Tabbiliana Tabbiliana Tabbiliana	Rosistenza Topsuses Tempe Grood Reference histories Film Kil	A. (4.	emento bloru osci cital E 4d	I'm Pole	zione casy matris RA %	Residenza Perutajina Rivertata Riverta	Durezza hara bara bara HB
Adres p	ri richiesti Sentremantus Pour autor		in ax	30	-	75	-	35	-	50	-	140 241
Α	12,5	68	L	38		81		62		71		163

	TEST ALLO STATO DI FORI	VITURA		
	n delivery condition / Proetung auf Heferbarellem produkt / Tast a Petal de	fourniture / Prin	esa sobre el m	aterial así como entregade
TEST		min	max	
A	Grain size for ASTM E112			6

AJSI 303

Tollerenze: ASTM A484-149

ASTM A370 2014.

QQ-S-754 B/2 303 A

Mechanical properties according to ASTM A370.

Analisi chimica

					C) om	scho Zusamme	esetzenytica	rdeal AnchesiA	entysa chinabou			,				
Cours Most	do.		1 20	12,00			6.00		ļ-	0.25				1.	:	1
Sannaestavia	mas 6,164	1.50	2.01	15.50	5.50	560	10.60		0:05	0.35	.0,429			1:		
	C %	Si %	Mn %	Cr%	Mo %	Cu %	Ni %	Co%	P%	8%	Zr %		i	1	İ	1
286250	0,033	0,25	1.73	17,13	0.24	0,53	8,19	0,109	0,031	0,32	0,004					

Produced without class I-II Ozone depicting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 1 hAvater.

Micro and macro etch test: OK Reduction ratio = 25,1:1

Material is DFARS Compliant

Binotianitatore illi stabilimento I der Werkssachvers Bryllige I Works inspector I L'agent d'usine Vicenza, 14/07/15 M. Rizzoty & Kull Pugina - 1 di 2 (Mot. MCEX) various announcement of











CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004), 3.1

36100 WCENZA (Italia) - Viale della scienza, 25 z.i. Telefono 0444 958211 - Fax 0444,933036 Stab : 30100 80L ZANO (Halie) - Via A. Volla, 4/37 Telefono C471.924111 - Fax C471.924497

Produtiore: ACCIAIERIE VALBRUNA S.P.A.

State of ferniture: Hot reflect Descaled Annealed Hot

CUNLITY MANAGEMENT BYS VENICERTIFIED BY LLOYO'S RECUITER

Avviso di Spedizione:

Letinogarenay wet D-VI15019974

Ordino et: 43992 Bestal Yavi divi:

Ties di Elaborazione: E+AOD Erschmeleungserblieberg processibliede Gelebergeen

Certificato nr: MEST722816/2015/ Profung/fast/Essat

Conferma ordine nr. El15001529

Victorial Codestilled as

Marchia di Fabbrica Zo chan ist Liete mas tos

Sigle to fusing procedure

Punzone del Colleudsicre: Glempai das Werkascohens Dielgen Inspector's stamp/Polagen de Cassoyau

Sone state socialistate to the conditional decrease Ole guitation autoriseungen trod is, Anlags entals.
You habitisches brand aristhet in excentance with the recover monte.
Le knowned is die Round outcome and evigences.

rolled

Controlle antimescolanza: CK Yorkookshingprühingi agastatandyltista durtigalitat Anlimaleg tasting patternad. GK Cort dis antikratanga folt tasa. Controllo visivo e dimensionale; socdista la estgenza

Ecologically and Austronoung into Brandlandung
Visual representation of checked billioning
Counts on the set of checked billio

Melled and marefactured in Haly

Elat dy Araison

No welding or weld repair. At atertal free from Microuny contamination.

We design that the finished product is encoked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified and, Pressure Equipment (Directive 197/20/EC! Annex 1, s., 4.5 by TUEV and LLOYO'S Any act of temparing, modification, citaration, counterfelling ancier falsification ancier any other action which modifies the contents of this test certificate shall constitute a wolation of applicable civil and criminal lews. Accidioria Valloruna shall protect its rights and interests before any competent court, authority and jurisdiction. Marizal ancier Valpais grades/products are manufactured with tadte techniques to central composition, disnibution, size and shape of nor-motallic inclusions for improved machinability.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements executed by exhibited norms and standards. Should the product be used for more severe, critical and/ or in any case different applications then those the material is generally intended for, any different and/or supplementary, requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Accidingle Vallational SpA shall not be responsible for any improper ties of the

Vicenza, 14/07/15 VCGG12

CASE MORN WASSERSON WASSERSON

Il collaudatore di stabilimente i der Werkesnehveretävrline i Werks inspuzzer i L'agent musica

M.Rizzotyble Kende

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: <u>MT-41140-R1.500</u> DATE:	PO/BATCH NO.: <u>0383/3/50110</u> 27
QUANTITY RECEIVED: 1213 QUANTITY REJECTED: 1213	THICKNESS ORDERED: 1.50 THICKNESS RECEIVED: 1.50 SHEET SIZE ORDERED: 1/A SHEET SIZE RECEIVED: 1/A

DESCRIPTION	(Ch	CR leck (N)	COMMENTS
SURFACE DAMAGE	Y	W	
CORRECT FINISH	8	N	
CORROSION	Υ	N	
CORRECT GRAIN DIRECTION	(1)	N	
CORRECT MATERIAL PER M-DRAWING	(8)	N	A15, 41640
CORRECT THICKNESS	8	N	
PHOTO REQUIRED	Y	W	. ,
CORRECT REF # TO LINK CERT	8	N	Heat # 182713
CORRECT MATERIAL IDENTFICATION	(0)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Υ	®	
DOES THIS REQUIRE AN EXTRUSION REPORT	Υ	®	

CUT SAMPLE PIECE OF	CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.											
F	RECORD RESULTS BELOW											
	HRC	HRB	DUR A	DUR D	WEBSTER							
TYPE OF MATERIAL												
SIZE OF TEST SAMPLE												
HARDNESS / DUROMETER READING												

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF	(if required)
INSPECTED BY:	PD	SIGNED OFF BY:	
DATE:	DEC 0 5 2017	DATE:	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

| MT-41L40-R | New Park | New Par BY APPROVED AISI 41L40 LEADED STEEL ROUND BAR SAC 17.09.20 DATE DESCRIPTION 3 REV. MT-41L40-R [D.DDD] WHERE "D.DDD" = DIAMETER IN INCHES EG, 5/8" ROUND BAR = MT-41L40-R0.625 SPECIFICATION CONTROL DRAWING PURCHASE MATERIAL: AISI 41L40 STEEL ROUND BAR AISI 41L40 SPECIFICATION: PART NUMBER:

COPYRIGHT © 2017 BY DART AEROSPACE LTD his document is highly and considering the about the consistency with the highly disclosed with any discrete consistency and appropriate the appropriate consistency and appropriate the appropriate consistency and appropriate approp

U

0



Dart Hawkesbury 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

PURCHASE ORDER PO038315

Tel (613) 632-5200

Supplier:

MES002-VC

Metaux Solutions

2625 boul Jacques-Cartiier Est

Longueuil QC

J4N 1L7 Canada

Phone: 800 558 8858 Fax: 514 633 8044

PO No:

PO038315

PO Date:

11/9/17

Due Date:

11/17/17

Purchase Order

Revision:

NOV 0 9 2017

Revision Date:

Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada

Phone: 613-632-5200

Via:

Ground COD

Pymt Terms:

Freight Terms:

Special Comments: QUOTE # 24929

Line Item	The second secon	Rev	Description	Item Tax	Status	Due Date	Order Quantity	Received Quantity	Phone in the second	Unit Price (CAD)	Extended Price
1	MT-41L40-R1.500	-/	AISI 41L40 Leaded Steel Round Bar 1.500" Dia. material: AISI 41L40 STEEL ROUND BAR PER AISI 41L40		Firmed	11/17/17/	12 ft	126	12 ft	\$39.00/ft	\$468.00
2	M303B0.500X4.000	_	AISI 303 SS Bar 0.500" x 4.000" : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft		Firmed	11/17/17	3 ft	0 ft 38t	3 ft	\$131.6666/ft	\$395.00

Order Notes

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Grand Total:

\$863.00